

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	109	(29/598).cccls. and (winding near coil) and rotor	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/01 17:56
L7	13	(29/598).cccls. and (winding near coil) and rotor and (rotat\$3 with winding with axis)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/01 18:01
L8	43	(29/56.5,596,597,605,735).cccls. and (winding near coil) and rotor and (rotat\$3 with winding with axis)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/01 18:02
L9	32	(29/56.5,596,597,605,735).cccls. and (winding near coil) and rotor and (rotat\$3 with winding with axis) and (tooth or teeth or pole)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/01 18:03
L10	11	(29/56.5,596,597,605,735).cccls. and (winding near coil) and rotor and (rotat\$3 with winding with axis) same (tooth or teeth or pole)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/01 18:04
L11	1	(242/361.1,362.1,363,433.3).cccls. and (winding near coil) and rotor and (rotat\$3 with winding with axis) same (tooth or teeth or pole)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/01 18:05
L12	3	(310/218,234).cccls. and (winding near coil) and rotor and (rotat\$3 with winding with axis) same (tooth or teeth or pole)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/01 18:05
S1	0	("10778174").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/24 18:01
S2	3	((("6313558") or ("20030011272") or ("20040113511")).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/30 16:40
S9	121	(yamamoto-toshio).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 12:38
S10	30	(yamamoto-toshio).in. and core	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 12:40
S11	25	(yamamoto-toshio).in. and core and winding	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 12:40
S12	7	(yamamoto-toshio).in. and core and (winding adj coil)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:03

S13	10	((("4,912,353") or ("5,418,416") or ("5,483,116") or ("4,392,072") or ("6,169,350") or ("6,313,557") or ("6,566,779") or ("5,874,795") or ("5,945,765") or ("2,871,384"))). PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/30 16:31
S14	9	(yamamoto-toshio).in. and core and (winding near coil)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:04
S15	1	(yamamoto-toshio).in. and core and (winding near coil) and jig	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:04
S16	1	(santo-shinji).in. and core and (winding near coil) and jig	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:06
S17	1	(okamoto-atsuo).in. and core and (winding near coil) and jig	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:05
S18	1	(katou-akiyoshi).in. and core and (winding near coil) and jig	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:05
S19	1	(katou-akiyoshi).in. and core and (winding near coil)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:05
S20	1	(okamoto-atsuo).in. and core and (winding near coil)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:05
S21	3	(santo-shinji).in. and core and (winding near coil)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:07
S22	353	jig and core and (winding near coil)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:07
S23	171	jig same core and (winding near coil)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:07
S24	132	(jig with core) and (winding near coil)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:08
S25	43	(jig with core) and (winding near coil) and (tooth or teeth)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:11
S26	34	(jig with core) and (winding near coil) and (tooth or teeth) and ((spin\$4 or turn\$3 or rotat\$3) with core)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:12

S27	22	(jig with core) and (winding near coil) and (tooth or teeth) and ((spin\$4 or turn\$3 or rotat\$3) with core) same winding	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:16
S28	87	(winding near coil) and (tooth or teeth) and ((spin\$4 or turn\$3 or rotat\$3) near core) same winding	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:16
S29	64	(winding near coil) and (tooth or teeth) and ((spin\$4 or turn\$3 or rotat\$3) near core) with winding	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:28
S30	4	((("5,266,859") or ("4,260,926") or ("6,218,753") or ("5,883,490"))).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/24 18:26
S31	233	(winding near coil) and ((spin\$4 or turn\$3 or rotat\$3) near (tooth or teeth or core)) with winding	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 16:49
S32	16	(winding near coil) and ((spin\$4 or turn\$3 or rotat\$3) near (tooth or teeth or core)) with winding and jig	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:33
S33	12	(winding near coil) and ((spin or spinning or turn or turned or turning or rotate or rotated or rotating) near (tooth or teeth or core)) with winding and jig	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:36
S34	919	((spin or spinning or turn or turned or turning or rotate or rotated or rotating) near (tooth or teeth or core)) with winding	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:36
S35	30	((spin or spinning or turn or turned or turning or rotate or rotated or rotating) near (tooth or teeth or core)) with winding and jig	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/24 18:36
S36	10	((("4,912,353") or ("5,418,416") or ("5,483,116") or ("4,392,072") or ("6,169,350") or ("6,313,557") or ("6,566,779") or ("5,874,795") or ("5,945,765") or ("2,871,384"))).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/30 16:31
S37	2	((("5859486") or ("5552651"))).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/30 19:31
S38	41	(schmidt-ralf).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 16:46
S39	4	(schmidt-ralf).in. and rotor	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 16:47

S40	6	(heidrich-markus).in. and rotor	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 16:48
S41	97	(winding near coil) and ((spin\$4 or turn\$3 or rotat\$3) near (tooth or teeth or core)) with winding and rotor	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 18:17
S42	1	("6703753").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/30 16:54
S43	19	("2007830"   "2895960"   "3072349"   "3101910"   "3361371"   "3713598"   "3785580"   "4262852"   "4262853"   "4320564"   "4335856"   "4520965"   "4549583"   "4579291").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/30 17:24
S44	10	("4765551").URPN.	USPAT	OR	ON	2004/11/30 17:27
S45	76	(winding near coil) same rotor and rotation adj axis	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 18:22
S46	32	(winding near coil) same rotor and (rotation adj axis) same (tooth or teeth or pole)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 17:31
S47	7	("2779886"   "3163921"   "3585716"   "3628229").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/30 17:47
S48	18	("3713209").URPN.	USPAT	OR	ON	2004/11/30 17:50
S49	4	("4830297").URPN.	USPAT	OR	ON	2004/11/30 18:09
S50	20	("0882253"   "2144477"   "2348948"   "2949554"   "2969195"   "3345002"   "3673878"   "3818570"   "3876318"   "3892366"   "4037320"   "4142811"   "4616788"   "4708297").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/30 18:10
S51	216	((spin\$4 or turn\$3 or rotat\$3) near (tooth or teeth or core)) with winding and rotor	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 18:17
S52	21	((spin\$4 or turn\$3 or rotat\$3) near (tooth or teeth or core)) with winding with axis and rotor	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 18:18
S53	100	(310/218).ccis. and (winding near coil)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 18:22
S54	91	(310/218).ccis. and (winding near coil) and rotor	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 18:42



S55	708	(two adj pole) and (winding near coil) and rotor	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 18:34
S56	14	(two adj pole) and (winding near coil) and rotor and ((spin or spinning or turn or turned or turning or rotate or rotated or rotating) near (tooth or teeth or core)) with winding	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 18:36
S57	672	(two adj pole) and (winding near coil) and rotor and (spin or spinning or turn or turned or turning or rotate or rotated or rotating)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 18:36
S58	44	(two adj pole) and (winding near coil) and rotor and ((spin or spinning or turn or turned or turning or rotate or rotated or rotating) near (tooth or teeth or core))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 18:36
S59	109	(29/598).ccls. and (winding near coil) and rotor	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 18:42
S60	3	("3980243"   "4289281"   "4974313").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/30 19:05
S61	119	((rotat\$3) near (core)) with winding and rotor	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/30 19:16
S62	2	((("5659486") or ("5552651"))).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/30 19:31
S63	2	((("5859486") or ("5552651"))).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/30 19:32
S64	4	("5100071").URPN.	USPAT	OR	ON	2004/11/30 19:35
S65	3	("3980243"   "4289281"   "4974313").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/30 19:42
S66	3	("3980243"   "4289281"   "4974313").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/01 12:11
S67	1	("3506864").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/01 12:18
S68	7	(hongo-nobuhisa).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/01 12:18

S69	10	("0156293"   "0770669"   "2491972"   "2627379"   "3477686").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/01 12:34
S70	11	("3506864").URPN.	USPAT	OR	ON	2004/12/01 12:38
S71	105	(coil near winding) and (rotat\$3 near core) and rotor	USPAT	OR	ON	2004/12/01 12:46
S72	40	(coil near winding) and ((rotat\$3 near core) with winding) and rotor	USPAT	OR	ON	2004/12/01 12:46
S73	30	("1779950"   "2554226"   "3320451"   "3710158"   "3829720"   "4102040"   "4206621"   "4350914"   "4365180"   "4384226"   "4402129"   "4519010"   "4547714"   "4593223"   "4754178"   "4758752"   "4868439"   "4882832"   "5047745"   "5057733"   "5086245"   "5113104"   "5173889"   "5457873"   "5477096"   "5489811"   "5592731").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/01 13:15
S74	13	("2575705"   "2607816"   "2687483"   "2695969"   "3041487"   "3180267"   "4039875").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/01 13:21
S75	14	("4350914").URPN.	USPAT	OR	ON	2004/12/01 13:21
S76	6	("4279944"   "4350914"   "4416058"   "5592731"   "5986377"   "6219900").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/01 13:28
S77	0	("6532645").URPN.	USPAT	OR	ON	2004/12/01 13:31
S78	1	("20040113511").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/01 14:20